



# Explanations | Request for proposal



## Acrobat

Please use Adobe's "Acrobat Reader" for the accurate display of your configuration / prices.

### EDL-REC pro | incl. Power Supply Unit

Select the number of channels you want your EDL-REC pro to record. A maximum of 8 is physically available. However, you can purchase two additional channels to assign "No Tally" and "Too many Tallys" to own export sources. "No Tally" is internally recorded as a "virtual" channel when no tally is active. For example, you can use it for only sporadic used or non-recorded sources. "Too many Tallys" is internally recorded as a "virtual" channel when too many tallys are active at the same time. For example, you can use it as a cut in the program recording when producing scenes with multi-camera PIP DVE effects.

### EDL-REC pro | Channel Upgrade

Here you can purchase EDL-REC pro channels as an upgrade.  
(More than 8 + 2 in total are not possible.)

### EDL-REC pro | AAF-Export

The EDL-REC pro comes with XMLs for Premiere, DaVinci Resolve, FCP7.  
The AAF export is required to create EDLs for AVID Media Composer.

### EDL-REC pro | Pre-/Offset

Pre- / Offset allows you to set a separate pre- or offset (frames) when exporting each source. As a result, you can correct asynchronies - caused for example by running times of mixers, synchronizers, wireless cameras, ...

### EDL-REC pro | Archive

The archive is necessary if you need access to your past production days at any time.  
When switching off, the editor list is always completely emptied.

### EDL-REC pro | Pull Ups

The EDL-REC pro can record your existing Tally switching states in the "Operating mode: Measure". If you also want to use it on mixers without existing red light wiring, you can use the "Pullup" operating mode to record individual or all PINs with our PullUp resistors.

### EDL-REC pro | Pal and NTSC

We supply the EDL-REC pro for either Pal or NTSC (DF & NDF) framerates.  
You can choose "Pal and NTSC" if you need both Framerates.

### EDL-REC pro | Splitter Cable

Our splitters serve as a passive 1:1 intermediate plug. They are available for D-Sub 9, 15, 25, 37 or 50. The 5 m cables are manufactured individually according to your specification for the D-Sub 9 Tally In of your EDL-REC pro.

### EDL-REC | Hand-held marker-keypad(s)

Up to 5 markers can be connected to the EDL-REC pro at the same time.  
Red, green, blue, yellow and gray are the their color markings.  
If you order less than 5, we will ask for your desired colors.



## Timeline

You configure your EDL-REC **pro** & supplies.

**We** advise you gladly at any time.

You send us your non-binding inquiry.

**We** will determine all runtimes / costs and send you a quote.

You can examine it calmly.

**We** will send you an invoice upon receipt of your binding order.

You wire transfer 50% of the invoice amount.

**We** will ship your EDL-REC **pro** with 2 enabled channels and, if ordered, supplies.

You wire transfer the remaining invoice amount after receipt.

**We** will send you the unlock code for all your ordered EDL-REC **pro** channels.

---

**Please do not hesitate at any time to contact us with questions regarding the configuration.**

Telephone +49 30 - 120 890 300 | E-Mail [sales@edl-rec.com](mailto:sales@edl-rec.com)